



UNITED SUPPLIERS EST FOR INDUSTRIAL SERVICES
 P.O BOX 7209, DAMMAM 31462
 TEL : 013 8376011 FAX : 013 8381145
 EMAIL : unitedsuppliers@ymail.com
 MOB : +966 532651007



WE ARE EQUIPPED WITH HIGH QUALITY MACHINES

with internationally acclaimed standard unit. Our quality management systems conform to various international standards.

AUTHORISED DISTRIBUTOR

UNITED SUPPLIERS EST. FOR INDUSTRIAL SERVICE
 DAMMAM 31462,
 P.O BOX 7209,
 KINGDOM OF SAUDI



SUPPLYING HIGH QUALITY PRODUCTS WITH HIGH LEVEL OF CUSTOMER SATISFACTION



UNITED SUPPLIERS EST FOR INDUSTRIAL SERVICES
 P.O BOX 7209, DAMMAM 31462
 TEL : 013 8376011 FAX : 013 8381145
 EMAIL : unitedsuppliers@ymail.com
 MOB : +966 532651007

UNITED SUPPLIERS established 2009 in KSA (Dammam) specialized in Welding materials and Industrial supplies. The company represents world leading brands in Industry named **ESAB - SWEDEN, ABICOR BINZEL - GERMANY, VICTOR-USA, UNITEC-INDIA, SANPRO-INDIA.** Backed by team of professional and trained sales and service team, the company strives to offer excellent service & support for the products in the markets. Customer focus and commitment are some of the major attributes of the company lays emphasis to build a strong identity as a leading player in the region. We assure our best service always.

unitedsuppliers@ymail.com



DIAMOND GRINDING WHEEL
4" 4.5" 7"

DIAMOND CUTTING BLADE
4" 4.5" 8"

FLAP DISC - CARBON STEEL
100 x 16MM (4" x 5/8") 125 x 22MM (5" x 7/8")
115 x 22MM (4.5" x 7/8") 180 x 22MM (7" x 7/8")

FLAP DISC - STAINLESS STEEL
100 x 16MM (4" x 5/8") 125 x 22MM (5" x 7/8")
115 x 22MM (4.5" x 7/8") 180 x 22MM (7" x 7/8")

FLAP WHEEL
25 x 20MM 50 x 30MM 80 x 40MM
40 x 20MM 60 x 30MM

ABRASIVE CUTTING DISC
2" - 1MM 4" - 1.6MM 4.5" - 3.2MM 7" - 1.6MM 14" 2MM
2" - 3MM 4" - 3.2MM 5" - 1MM 7" - 3.2MM 14" - 3.2MM
3" - 3MM 4.5" - 1MM 5" - 1.6MM 7" - 6.3MM
4" - 1MM 4.5" - 1.6MM 5" - 3.2MM



ABRASIVE GRINDING DISC
4" - 6.4MM 5" - 6.4MM
4.5" - 6.4MM 7" - 6.4MM


GRINDING STONE CONICAL / CYLINDRICAL
CONICAL STEEL 20x30MM 25x38MM
CONICAL STEEL 20x38MM
CONICAL STAINLESS STEEL 20x30MM
CYLINDRICAL STEEL 25x38MM
CYLINDRICAL STAINLESS STEEL 25x38MM

SCAFFOLDING BUCKET

SCAFFOLDING SPANNER
17 x 21 19x21

CAM WELD GAUGE

DIGITAL WELD GAUGE



HILOW GAUGE

TAPER GAUGE

WELD FILLET GAUGE

DIGITAL CALIPER
6" . 8" 812"

DIAL INDICATOR
0-10MM

OUTSIDE MICROMETER
0-25mm & 25-50 mm

NEED QUALITY IMAGE

WELDING GAUGE SET
13 PIECES

FEELER GAUGE SET
4 & 8 BLADES

VERNIER CALIPER
6" . 8" & 12"

DIGITAL MICROMETER
0-25MM & 25-50MM

MAGNETIC BASE STAND

WARNING TAPE
21.3'

Application & Characteristics

Using Carbide Rotary Burrs is an effective way to realize mechanization in hand work operations in the industries of airplane, ship building, automobile, machinery, chemistry etc. Carbide Rotary Burrs can be widely used in machining iron, steel casting, carbon steel, alloy steel, stainless steel, copper, aluminum etc. Machining various kinds of metal material including χ -CR65 hardened steel.

CYLINDER (SHAPE A)



SINGLE CUT	CUT LENGTH	SHANK DIA.	SINGLE CUT	CUT LENGTH	SHANK DIA.
A0413X03	13	3	A1020X06	20	6
A0613X03	13	3	A1225X06	25	6
A0613X03	13	3	A1625X06	25	6
A0616X06	16	6	A2025X08	25	8
A0620X06	20	6	A2525X08	25	8

CYLINDER WITH END CUT (SHAPE B)



SINGLE CUT	CUT LENGTH	SHANK DIA.	SINGLE CUT	CUT LENGTH	SHANK DIA.
B0616X06	16	6	B1625X06	25	6
B0820X06	20	6	B2025X08	25	8
B1020X06	20	6	B2525X08	25	8
B1225X06	25	6			

CYLINDER WITH RADIUS END (SHAPE C)



SINGLE CUT	CUT LENGTH	SHANK DIA.	SINGLE CUT	CUT LENGTH	SHANK DIA.
C0413X03	13	3	C1020X06	20	6
C0513X03	13	3	C1225X06	25	6
C0613X03	13	3	C1625X06	25	6
C0616X06	16	6	C2025X08	25	8
C0820X06	20	6	C2525X08	25	8

BALL (SHAPE D)



SINGLE CUT	CUT LENGTH	SHANK DIA.	SINGLE CUT	CUT LENGTH	SHANK DIA.
D0404X03	4	3	D1008X06	8	6
D0505X03	5	3	D1210X06	10	6
D0606X03	5	3	D1614X06	14	6
D0610X06	5	6	D2018X08	18	8
D0807X06	7	6	D2524X08	24	8

OVEL SHAPE (SHAPE E)



SINGLE CUT	CUT LENGTH	SHANK DIA.	SINGLE CUT	CUT LENGTH	SHANK DIA.
E0407X03	7	3	E1016X06	16	6
E0508X03	8	3	E1220X06	20	6
E0610X03	10	3	E1625X06	25	6
E0610X06	10	6	E2025X08	25	8
E0813X06	13	6			

TREE SHAPE RADIUS END (SHAPE F)



SINGLE CUT	CUT LENGTH	SHANK DIA.	SINGLE CUT	CUT LENGTH	SHANK DIA.
F0413X03	13	3	F1020X06	20	6
F0513X03	13	3	F1225X06	25	6
F0613X03	13	3	F1625X06	25	6
F0616X06	16	6	F2025X08	25	8
F0820X06	20	6			

TREE SHAPE POINTED END (SHAPE G)



SINGLE CUT	CUT LENGTH	SHANK DIA.	SINGLE CUT	CUT LENGTH	SHANK DIA.
G0413X03	13	3	G1020X06	20	6
G0513X03	13	3	G1225X06	25	6
G0613X03	13	3	G1625X06	25	6
G0616X06	16	6	G2025X08	25	8
G0820X06	20	6			

TIRCH CYLINDER (SHAPE H)



SINGLE CUT	CUT LENGTH	SHANK DIA.	SINGLE CUT	CUT LENGTH	SHANK DIA.
H0413X03	13	3	H1020X06	25	6
H0513X03	13	3	H1232X06	32	6
H0613X03	13	3	H1636X06	36	6
H0616X06	16	6	H2042X08	42	8
H0820X06	20	6			

TAPE WITH BALL TOP (SHAPE L)



SINGLE CUT	CUT LENGTH	SHANK DIA.	SINGLE CUT	CUT LENGTH	SHANK DIA.
L0413X03	13	3	L1025X06	25	6
L0513X03	13	3	L1220X06	28	6
L0613X03	13	3	L1633X06	33	6
L0616X06	16	6	L2038X08	38	8
L0822X06	22	6			

TAPER (SHAPE M)



SINGLE CUT	CUT LENGTH	SHANK DIA.	SINGLE CUT	CUT LENGTH	SHANK DIA.
M0413X03	13	3	M0820X06	20	6
M0513X03	13	3	M1225X06	20	6
M0613X03	13	3	M1225X06	25	6
M0616X06	16	6	M1625X06	25	6

TAPER (SHAPE N)



SINGLE CUT	CUT LENGTH	SHANK DIA.	SINGLE CUT	CUT LENGTH	SHANK DIA.
N0406X03	6	3	N0810X06	10	6
N0507X03	7	3	N1010X06	10	6
N0607X03	7	3	N1213X06	13	6
N0807X06	7	6	N1616X06	16	6


CARBIDE ROTARY BURRS

HSS Annular Cutters (Core Drill) with Weldon / Universal Shank



HSS-E and TiAlN coated Annular Cutters can be supplied according to requirement

- Made by solid high performance High Speed Steel
- Weldon shank, with more stable clamping for stable cutting and finishing of hole
- With multi-cut, help to remove chips and reducing cutting resistance.
- @19.05 mm (3/4") Weldon shank
- Suitable for most brands of magnetic drilling machines and drilling presses.



Metric sizes

Cutter Dia mm	Cutting Depth 25mm	Cutting Depth 30mm	Cutter Dia mm	Cutting Depth 25mm	Cutting Depth 30mm	Cutter Dia mm	Cutting Depth 25mm	Cutting Depth 30mm	Cutter Dia mm	Cutting Depth 25mm	Cutting Depth 30mm
12	HW25-0012	HW50-0012	26	HW25-0026	HW50-0026	40	HW25-0040	HW50-0040	54	HW25-0054	HW50-0054
13	HW25-0013	HW50-0013	27	HW25-0027	HW50-0027	41	HW25-0041	HW50-0041	55	HW25-0055	HW50-0055
14	HW25-0014	HW50-0014	28	HW25-0028	HW50-0028	42	HW25-0042	HW50-0042	56	HW25-0056	HW50-0056
15	HW25-0015	HW50-0015	29	HW25-0029	HW50-0029	43	HW25-0043	HW50-0043	57	HW25-0057	HW50-0057
16	HW25-0016	HW50-0016	30	HW25-0030	HW50-0030	44	HW25-0044	HW50-0044	58	HW25-0058	HW50-0058
17	HW25-0017	HW50-0017	31	HW25-0031	HW50-0031	45	HW25-0045	HW50-0045	59	HW25-0059	HW50-0059
18	HW25-0018	HW50-0018	32	HW25-0032	HW50-0032	46	HW25-0046	HW50-0046	60	HW25-0060	HW50-0060
19	HW25-0019	HW50-0019	33	HW25-0033	HW50-0033	47	HW25-0047	HW50-0047	61	HW25-0061	HW50-0061
20	HW25-0020	HW50-0020	34	HW25-0034	HW50-0034	48	HW25-0048	HW50-0048	62	HW25-0062	HW50-0062
21	HW25-0021	HW50-0021	35	HW25-0035	HW50-0035	49	HW25-0049	HW50-0049	63	HW25-0063	HW50-0063
22	HW25-0022	HW50-0022	36	HW25-0036	HW50-0036	50	HW25-0050	HW50-0050	64	HW25-0064	HW50-0064
23	HW25-0023	HW50-0023	37	HW25-0037	HW50-0037	51	HW25-0051	HW50-0051	65	HW25-0065	HW50-0065
24	HW25-0024	HW50-0024	38	HW25-0038	HW50-0038	52	HW25-0052	HW50-0052			
25	HW25-0025	HW50-0025	39	HW25-0039	HW50-0039	53	HW25-0053	HW50-0053			

TCT Annular Cutters (Core Drill) with Universal Shank




- Universal shank, for various magnetic drills.
- Selected special - purpose carbide tips with multi-cut for ply-cutting and lower function. Reduced damage of tips and improved performance of ships removal
- Suitable for most brands of magnetic drilling machines and drilling presses



Metric sizes


Cutter Dia mm	Cutting Depth 25mm	Cutting Depth 30mm	Cutter Dia mm	Cutting Depth 25mm	Cutting Depth 30mm	Cutter Dia mm	Cutting Depth 25mm	Cutting Depth 30mm	Cutter Dia mm	Cutting Depth 25mm	Cutting Depth 30mm
12	TU35-2112	TU50-2212	25	TU35-2125	TU50-2225	38	TU35-2138	TU50-2238	50	TU35-2150	TU50-2250
13	TU35-2113	TU50-2213	26	TU35-2126	TU50-2226	39	TU35-2139	TU50-2239	51	TU35-2151	TU50-2251
14	TU35-2114	TU50-2214	27	TU35-2127	TU50-2227	40	TU35-2140	TU50-2240	52	TU35-2152	TU50-2252
15	TU35-2115	TU50-2215	28	TU35-2128	TU50-2228	41	TU35-2141	TU50-2241	53	TU35-2153	TU50-2253
16	TU35-2116	TU50-2216	29	TU35-2129	TU50-2229	42	TU35-2142	TU50-2242	54	TU35-2154	TU50-2254
17	TU35-2117	TU50-2217	30	TU35-2130	TU50-2230	43	TU35-2143	TU50-2243	55	TU35-2155	TU50-2255
18	TU35-2118	TU50-2218	31	TU35-2131	TU50-2231	44	TU35-2144	TU50-2244	56	TU35-2156	TU50-2256
19	TU35-2119	TU50-2219	32	TU35-2132	TU50-2232	45	TU35-2145	TU50-2245	57	TU35-2157	TU50-2257
20	TU35-2120	TU50-2220	33	TU35-2133	TU50-2233	46	TU35-2146	TU50-2246	58	TU35-2158	TU50-2258
21	TU35-2121	TU50-2221	34	TU35-2134	TU50-2234	47	TU35-2147	TU50-2247	59	TU35-2159	TU50-2259
22	TU35-2122	TU50-2222	35	TU35-2135	TU50-2235	48	TU35-2148	TU50-2248	60	TU35-2160	TU50-2260
23	TU35-2123	TU50-2223	36	TU35-2136	TU50-2236	49	TU35-2149	TU50-2249			
24	TU35-2124	TU50-2224	37	TU35-2137	TU50-2237						



ABICOR BINZEL MIG/MAG/TIG TORCHES



TIG TORCH PARTS



KASWELD INDUSTRIES



WELDING HELMET WITH SAFETY HELMET



LEATHER HOOD



WELDING CURTAIN WITH STAND



AUTO DARKENING HELMET



ARGON HOSE 6MM 100MTR/ROLL

UNITED

UNITED

PORTFOLIO

ELECTRODE OVENS (QUIVERS)

EN 60974-1

EL-OV-10SI

Insulated



See Below For Specifications

EL-OV-10SI-AT

Insulated



See Below For Specifications

EL-OV-20SI

Insulated



See Below For Specifications

EL-OV-20SI-DV

Insulated
Dual Voltage



See Below For Specifications

FORNETTO PORTATILE/OVEN

EL-BOV-250DT-200



Adjustable Digital Temperature Controller

EL-BOV-450DT300



Adjustable Digital Temperature Controller

EL-BOV-650DT300



Adjustable Digital Temperature Controller

UNITED

UNITED

PORTFOLIO

GROUND CLAMPS

EN 60974-13

Code
BR Series



CE	Product Code			
	GC300BR	250	300	50



CE	Product Code			
	GC500BR	400	500	95

CABLE CONNECTORS

EN 60974-12

Code
CC-DN Series



CE	Product Code			
	CC3550P	300	400	50
	CC3550S	300	400	50



CE	Product Code			
	CC5070P	400	500	70
	CC5070S	400	500	70



CE	Product Code			
	CC7095P	500	600	95
	CC7095S	500	600	95

UNITED

UNITED

PORTFOLIO



VICTOR USA
ARGON REGULATOR



VICTOR USA
ACETELENE REGULATOR



VICTOR USA
OXYGEN REGULATOR



ABICOR BINZEL
GOUGING ELECTRODE
6.5 MM X 305 MM 9.5 MM X 305 MM
8MM X 305 MM 13MM X 355 MM



ABICOR BINZEL
TIG TORCH



ABICOR BINZEL
TIG TORCH BACK CAP
LONG



ARGON FITTINGS




ABICOR BINZEL
COLLET BODY
1.6mm 2.4mm 3.2mm



ABICOR BINZEL
COLLET
1.6mm 2.4mm & 3.2mm



ABICOR BINZEL
TIG TORCH BACK CAP
SHORT



ABICOR BINZEL
TIG TORCH HEAD
FLEX & STRAIGHT 26V



NON SPARKING
PIPE WRENCH



NON SPARKING
SLEDGE HAMMER



NON SPARKING
COMBINATION PLIER



NON SPARKING
LONG NOSE PLIERER



SS FILES



DIAMOND FILES



CYLINDER TROLLEY



ESAB HANDY ARC 3.2 MACHINE



ESAB FLUX CORED WIRE 1.2MM/1.6MM



ANTI SPATTER SPRAY BINZEL



WELDING OVEN 5KG/9KG



EARTH CLAMP DIFFERENT MODELS



TIG TORCH VALVE
MP 26V



TUNGSTEN ROD
1.6MM, 2.4MM & 3.2 MM



CONTACT TIP



SPOT BURNER



TCT HOLE SAW



TWIN HOSE

ESAB ELECTRODES



KASWELD

I N D U S T R I E S



SPINDLE KEY



AUTO DARKENING HELMET



CHIPPING HAMMER



ALUMINIUM MIG WIRE AND TIG RODS



UNITED

UNITED

PORT


PRODUCTS OF TOP CLASS QUALITY

Each day is a new day for us and we really work hard to satisfy our customers everywhere. We uncompromisingly strive to improve our performance in the industry by importing products of top class quality, assurance of prompt deliveries. We are keen to maintain a lasting relationship with our customers based on consistent performance. This we achieved by assuring utmost attention with best services, quality products and fair and competitive pricing. So, We promise you that YOU CAN ALWAYS RELY ON US.

UNITED SUPPLIERS EST FOR INDUSTRIAL SERVICES
P.O BOX 7209, DAMMAM 31462
TEL : 013 8376011 FAX : 013 8381145
EMAIL : unitedsuppliers@ymail.com
MOB : +966 532651007

KASWELD INDUSTRIES

Body Safety Belts & Road Safety



UNITED

UNITED

UNITED

Coverall & Pant Shirt Safety Wear



Foot Protection Respiratory Protection



Hand Protection Eye, Head, Ear Protection

